

# Me Gazette of India

# असाधारएा

## **EXTRAORDINARY**

भाग **U—तृष्ट** 3—उप-तृष्ट (ii) PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

Wa

366

# 13 (.G.

नई बिल्लो, मंगलवार, जून 25, 1991/आवाकु 4, 1913

NEW DELHI, TUESDAY, JUNE 25, 1991/ASADHA 4, 1913

इस्त आग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अक्ष्म संकलत के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

जल-भूतल परिवत्न मंत्रालय

( परिवहन पक्ष])

ऋ।देश

नई दिल्ली, 25 जून, 1991

का. भा. 424 (प्र):--केन्द्रीय मरकार की यह राय है कि बह तीचे दी गई सारणी के स्तंस (1) में विनिर्विष्ट प्रकार के यान को उपत सारणी के स्तंस 2 में विनिर्विष्ट क्षेत्र में यान के गुम्तर वजन भर्यात् निरापद प्रधिकतम, घरान सहित वजन और प्रत्येक धुरी के निरापद प्रधिकतम तम धुरी वजन के लिए, जो मोटर यान प्रधिनियम, 1988 (1988 का 59) की धारा 58 की उपधारा (1) के श्रशीन जाणी की गई मिश-भूजमा सं. 416 (प्र) तारीख 8-6-1989 में विनिर्विष्ट है, प्रनृज्ञा दे सकेगीत;

प्रतः प्रयम्, केन्द्रीय सरकार उक्त स्रिधिनियम की धारा 5९ की उपबारा (3) के परस्तुक द्वारा प्रथत्त शक्तियों का प्रयोग करते हुए निदेश देती हैं कि उक्त स्तारणी के तीचे विनिधिष्ट उपितरणों/शर्ता के प्रधीन रहते हुए उक्त उपकारा (3) के उपबंध उक्त प्रकार के यान की उस प्रादेश की सारी आ में एक वर्ष की प्रथिष के लिए लागू होंगे।

मारणी

यान का प्रकार	चलाने का क्षेत्र ( मार्ग )	यान का कुल बजन	पंजीकृत घुरी का वजन
·1	2	3	4
माल बाहकवाणिज्यिक कैरियर	स्रेबल राष्ट्रीय राजमार्गो और निम्न को जोड़ने वाले राज्योय राजमार्गो परः	16, 512 स्म	(i) सामनेके एक्सलका भार-⊸ 63.5 कि. ग्रा.
पंजाकरण मं. जी टी जी3373 इंजन मं. एएस मार्ड80158	मद्रास सुर्दे, क्म्याकोनम, कीयंबतूर और पाडिचेरी ( ग्रंथीन् तमिलनाड्, राज्य की सीमा तक )	Ψ.	(ii) पिछले एक्सन का भार10,1 कि ग्रा
वैसी सं. ए. एल. ए 100134 माजिक: मैं. रिक् कम्मीनयल कैरियजें लि., मद्रास		— ·	
1633GI/91	(1)	•	

कपर दो गई छट निम्नलिखित उपांतरणों/शतों के अद्योन होगा:--

- (1) मार्ग या मोड़-पर या उसके पास नाघाओं और प्रतिनाक्षाओं जैसे बृक्ष को शाखा और भवन का पूर्वत निर्धारण करने के लिए सावधानी क्रमानि:
- (2) किन्द्रीय सदकार उनस सन देलर के अविद्रम में या उसमें लदी वस्तुओं को हुए नुकसान के लिए उत्तरवायी नहीं होगी,
- (3) उन्त अपन के संचलन/नलाने के कारण, केन्द्रीय सरकार/राष्ट्रीय राजमार्ग प्राधिकरण या प्रिमिकरण द्वारा अनुरक्षित या वर्षविक्षित सड़क या अपन के दिन की प्रश्लास का सम्बद्धा होगा और उक्त भागोग राष्ट्रीय राजमार्ग प्राधिकरण द्वारा निर्धारित नुकसानी राशि के संदाय के लिए जिस्मेदार होगा;
- (4) अन्त थान सङ्क/नार्ग पर सामान्य रूप से चलने वाले कातावात की बिना कोई बाधा या प्रतिबाधा पहुंचाए वजेगा;
- (5) उन्त आनंदिलर की स्टीख़ा को स्पष्ट बीर उपयुक्त रूप से दर्शीन के लिए उस पर आवश्यक जेतावनी सूचक जैसे दिन के समय लाल झण्डे लगाए जायेंगे जीर रात के समय में लाल बत्ती का प्रयोग किया जाएगा;
- (6) आप्रेटर/चालक को स्थानीय निकासो या अन्य सरका**रो विकासों से कलकी सड़को** पर उक्त यान/ट्रेलर को चलाने के लिए आवश्यक अनुज्ञा प्राप्त करनी होगी;
- (.7) राजमार्ग पुल, पुलिया या ग्रन्थ सड़क अर्था सक्क के कांत्रे के प्राधिकारी उकत यान दिलर के संचलन को ग्रापात काल परिस्थितियों और सड़क के ढांचे की दशा के कारणों से रोकने के हकदार होंगें;
- (8) गति सीमा 16 कि. मी. प्रति घंटा होगी,
- (9) उक्त यान द्रिलर के लिए नीचे दी गई सारणी के स्तंभ 3, 4 और 5 में विनिर्दिष्ट वजन और विमाओं को बढ़ाया नहीं जाएगा,
- (10) उक्त यान/ट्रेलर राजमार्ग/सङ्क के सम्बद्ध सहायक/क्षेत्रीय इजीनियर को पर्याप्त/प्रप्रिम/पूर्व सूचना के पश्चात्, चलाए जाएंगे;
- (11) रेल के समतल पारण या ऊपरी/निचले पुल को पार करने से पहले रेल प्रशासन से ग्रनन से पूर्व ग्रनुजा ग्रभिप्राप्त करनी होगी,
- (12) किसी सड़क ढांचा/पुज/पुलिया/काजवे पर चलते समय यह पुनिश्चित करना होगा कि उक्तयान/ट्रेलर रिंगी गति से कोई समाधान कारित किए बिना चलेगा और उसे ब्रेक नहीं लगाए जाएंगें और यह उस समय चलेगा जब उत ढांवे पर अन्य कोई वाहन न हो।

[सं. आर टो--11011/28/88--एम वी एल] जी. के. पिल्ले, संयुक्त सचिव

### MINISTRY OF SURFACE TRANSPORT

(Transport Wing)

### ORDER

New Delhi, the 25th June, 1991

S. O. 424 (E):—Whereas the Central Govt. is of the opinion that heavier weight that the maximum safe laden weight and the maximum safe axle weight of each axle of the vehicle as specified in this Ministry's notification No. S. O. 416(E), dated 8-6-89 issued under sub-section (1) of section 58 of the Motor Vehicles Act, 1988 (59 of 1988) may be permitted for the vehicle of the type specified in column (1) of the table given below in the locality specified in column (2) of the said able:

Now, therefore, in exercise of the powers conferred by the proviso to sub-section (3) of section 58 of the said Act, the Central Govt. hereby directs that the provisions of the said sub-section (3) shall apply to the said type of vehicle for a period of one year from the date of this order subject to the modifications/conditions specified hereunder below the said table:—

### **TABLE**

	********		
Type of vehicle	Locality of operation (route)	Gross vehicle weight	Registered axle weight
1	2	3	4
Goods vehicles Commercial carrier bearing Registration No. GTG 3373 Engine No. ALI-80158 Chasis No. ALA-100134 belonging to M/s. Rinku Commercial Carriers Ltd., Madras.	Only on National High way State Highway connecting— Madras, Madurai, Kumbal nam, Coimbatore & Pondicherry (i.e. upto Tan Nadu State Boundary).	ko-	(i) Front axle wt-6350 Kg. (ii) Rear Axle wt-10,162 Kg.

The above relaxation is subject to the following modifications/conditions:

- (1) Due care shall be taken to assess before head such obstructions and hindrances as branches of trees and buildings that exist on or along the route and at the curves. All necessary remedial and precautionary measures shall be taken by the operator/driver before plying the vehicle on the route,
- (2) The Central Govt. shall not be responsible for any damage in transit to the above vehicle/ trailers or to the things loaded;
- (3) The Operator/owner shall be responsible for any damage caused to the road maintained or supervised by the Central Govt./National Highway Authority or its agency and to the road structures either directly or indirectly due to movement/plying of the said vehicle and the said operator/owner shall be liable to pay the amount as damages that may be assessed by the National Highway Authority;
- (4) The said vehicle shall move without creating any obstructions or hindrance to the normal flow of traffic on the road/route;
- (5) Necessary warning signals like red flags during day-time and red lights during night shall be used/displayed to indicate clearly and properly the extremities of the vehicle and trailors;
- (6) Necessary permission shall be obtained by the operator/driver from the local bodies or other Govt. Deptts. for plying/running the said vehicle/trailors on their roads;
- (7) The authorities of the National Highway bridges, culverts or of other roads or of roads structures shall be entitled to stop the movement of the said vehicle/trailors due to exigencies/situations and for reasons of road-condition and road-structures;
- (8) The speed-limit shall be 16 km. per hour;
- (9) The weights and dimensions specified in columns No. 3, and in the Table given above shall not be increased in the said vehicle/trailors;
- (10) The said vehicles/trailors shall move only after sufficient advances/prior notice to the concerned Assistant/Divisional Engineer of the highway/road;
- (11) Separate prior permission from the Railway Administration shall be obtained before crossing any level-crossing or any over-bridge/under-bridge of the railway.
- (12) While moving on any road-structure/bridge/culvert/causeway, it shall be ensured that the said vehicle/trailors move at crawling speed without causing any impact and without applying brakes and while no other vehicle is on that structure.

[No. RT-11011/28/88-MVL] G.K. PILLAI, Jt. Secy.